





CALIFORNIA WILDFIRE MITIGATION PROGRAM (CWMP)

Extends five feet (5 ft.) from each structure or, if applicable, an attached deck



- The contractor shall remove all grass, including grass lawns, herbaceous ground covers, plants, shrubs and bushes, both dead or dying or living.
- 2) The contractor shall remove woodchips, bark, combustible mulch, or synthetic lawns.



- 3) The contractor shall remove all live and dead tree branches 10 feet above the roof and 10 feet away from chimneys and stovepipe outlets. The contractor will remove all live or dead branches or ladder fuels within five feet (5 ft.) of the sides of the structure.
- 4) The contractor shall remove combustible boards, timbers, planting pots or containers.



- 5) The contractor shall remove planting pots or containers, regardless of material, mounted on the structure or located directly beneath a window.
- The contractor shall remove combustible materials located on top of or underneath a deck, balcony, or stairs shall be removed.
- The contractor shall remove/relocate firewood piles.



- 8) The contractor shall prepare a hardscaping site plan that include all areas around the structure including any attached decks. The site plan will include:
 - 1) Procedures for avoiding utilities. The contractor will be responsible for contacting the Underground Service Alert https://www.california811.org/ to assure all utilities will be avoided during site preparation and construction.
 - 2) Procedures for securing irrigation lines.




- 3) Site grading requirements will be incompliance with CBC 1804A.4 Site Grading.
- 4) The installation of a permeable weed barrier and gravel.




Work that shall not be performed in Zone 0 include:

- Installation of new irrigation systems
- Demolition of hardscape/walls
- •Drainage installation









THANK YOU!

QUESTIONS?