Authority Having Jurisdiction (AHJ) Limited Applicator Inspection Form

Company Information

Booth Location: _____

Company Name: _____

On-site Contact Name: _____

Phone Number: _____

LA License Number: _____

Date of Inspection: _____

Time of Inspection: _____

Applicator Information

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Name: _____ Listed on License: ☐Yes ☐No

Violation Identified (select all that apply)

☐No listed Applicator(s) onsite.

☐Expired or No Limited Applicator License ***(Title 19, Ch.8, Section 1280)*.**

☐Chemical Registration Not Valid or Not Registered ***(Title 19, Ch.8, Section 1290 and Section 1291)*.**

☐No Tags ***(Title 19, Ch.8, Section 1324)*.**

☐Evidence of license tampering.

☐Other; Explain: _____

Action Taken

☐Education / Warning.

☐Notice of Violation.

☐Referral to OSFM FR Program Coordinator.

☐Other; Explain: _____

Name of Chemical(s) and Chemical CSFM Registration Number(s):

Additional Life Safety Concerns (These should be noted)

☐Fuel powered equipment (generators) are isolated at least 25 feet from booths or other surrounding booths.

☐Fuel powered sources shall be isolated from contact with public by physical guides, fencing or enclosure

☐Extension cords shall be plugged directly into an approved receptacle.

☐Appropriate Fire Extinguishers and appropriate number of extinguishers. Are they currently in service?

☐Extension cords should serve only one appliance or fixture.

☐Extension cords shall not exceed 75 feet in length and no smaller than 16-gauge wire.

☐The current capacity of the cord shall not be less than the rated capacity of the appliance or fixture.

☐The extension cord is maintained in good repair, without splices, deterioration, or damage.

☐The extension cord shall be of the grounded type when servicing grounded appliances or fixtures.

☐If an extension cord must go across a traffic area, then an approved traffic pad shall be used. (All extension cords shall be secured to prevent a tripping hazard).

☐Extension cords shall not be connected in series (Daisy Chained)

Applicator Safety reminders:

☐ Spray booths should be well ventilated, and isolated from the public.

☐ Applicator should wear face and eye protection**.**

☐ Applicator should wear hand and arm protection

☐ Applicator should wear body protection (Rubber or plastic coveralls, apron, or boots)

Additional Notes:

Inspector Authorization

Name (Print): _____

Agency Name: _____

Signature: _____

Completion Date: _____

CAL FIRE, OSFM Flame Retardant Program: FR@fire.ca.gov