



VAPOR RECOVERY PROGRAM APPROVED TESTING LABORATORIES

LABORATORY	APPROVED TO PERFORM THE FOLLOWING TESTS
Intertek Testing Services (Formerly ETL Testing Laboratories) 3933 US Rte 11, Industrial Park Courtland, NY 13045-0950	ANS/ISA-12.12.01-2007 (Nonincendive Electrical Equipment for Use in Class I and II, Division 2 and Class III, Division 1 and 2 Hazardous (Classified) Locations) UL 79 (Power-Operated Pumps for Petroleum Dispensing Products) UL 525 (Flame Arrestors) UL 842 (Hose Nozzle Valves) UL 1238 (Control Equipment for use with Flammable Liquid Dispensing Devices)
FM Approvals 1151 Boston-Providence Turnpike P.O. Box 9102 Norwood, MA 02062	FM 3600 (Electrical Equipment for Use In Hazardous [Classified] Location General) FM 3610 (Intrinsically Safe Apparatus and Associated Apparatus for Use in Class I, II, & III Division 1, and Class I, Zone 0 and I Hazardous [Classified] Locations) FM 3611 (Nonincendive Electrical Equipment for Use in Class I and II, Div. 2 & Class III, Divisions 1 & 2 Hazardous [Classified] Location) FM 3615 (Explosion proof Electrical Equipment) FM 3620 (Purged and Pressurized Electrical Equipment for Hazardous [Classified] Locations) FM 3810, 7/1995 edition (Electrical and Electronic Test, Measuring and Process Control Equipment)

LABORATORY	APPROVED TO PERFORM THE FOLLOWING TESTS
<p>Underwriters Laboratories 333 Pfingsten Road Northbrook, IL 60062</p>	<p>UL 25 (Meters for Flammable and Combustible Liquids and LP-Gas) UL 25A (Meters for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations Up to 85 Percent (E0 – E85)) UL 58 (Steel Underground Tanks for Flammable and Combustible Liquids) UL 79 (Power-Operated Pumps for Petroleum Dispensing Products) UL 79A (Power-Operated Pumps for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 – E85)) UL 87 (Power-Operated Dispensing Devices for Petroleum Products) UL 87A (Power-Operated Dispensing Devices for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 – E85)) UL 142 (Steel Aboveground Tanks for Flammable and Combustible Liquids) UL 330 (Hose and Hose Assemblies for Dispensing Flammable and Combustible Liquids) UL 330A (Hose and Hose Assemblies for Use With Dispensing Devices Dispensing Gasoline and Gasoline/Ethanol Blends With Nominal Ethanol Concentrations Up To 85 Percent (E0 – E85)) UL 331 (Strainers for Flammable and Combustible Liquids, Anhydrous Ammonia and Non-potable Water) UL 331A (Strainers for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations Up to 85 Percent (E0 – E85)) UL 525 (Flame Arrestors) UL 567 (Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Petroleum Products and LP-Gas) UL 567A (Emergency Breakaway Fittings, Swivel Connectors and Pipe-Connection Fittings for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 – E85)) UL 842 (Valves for Flammable and Combustible Liquids) UL 842A (Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 - E85)) UL 969 (Labeling/Marking Systems) UL 1238 (Control equipment for Use With Flammable Liquid and LP-Gas Dispensing Devices) UL 2586 (Hose Nozzle Valves for Flammable and Combustible Liquids) UL 2586A (Hose Nozzle Valves for Gasoline and Gasoline/Ethanol Blends with Nominal Ethanol Concentrations up to 85 Percent (E0 - E85))</p>

Voc Testing P.O. Box 5892 San Bernardino CA 92412	UL 79 (Petroleum Product Dispensing Pumps) UL 330 (Gasoline Hoses) UL 525 (Flame Arrestors) UL 567 (Pipe Connections for Flammable/Combustible Liquids) UL 842 (Hose Nozzle Valves) UL 969 (Labeling/Marking Systems) UL 1238 (Flammable Liquid Dispensers)
---	---