

**CALIFORNIA DEPARTMENT of FORESTRY  
and FIRE PROTECTION  
OFFICE OF THE STATE FIRE MARSHAL**



**FIRE ENGINEERING and INVESTIGATIONS DIVISION  
BUILDING MATERIALS LISTING PROGRAM**

715 "P" Street, Sacramento, CA 95814

Email: [BML.Program@fire.ca.gov](mailto:BML.Program@fire.ca.gov)



**DESCRIPTION of LISTING CATEGORY  
and APPLICABLE STANDARD**



## Fire Engineering and Investigations Division - Building Materials Listing Program

715 "P" Street, Sacramento, CA 95814

Email: [BML.Program@fire.ca.gov](mailto:BML.Program@fire.ca.gov)

Web Site: <https://osfm.fire.ca.gov/divisions/fire-engineering-and-investigations/building-materials-listing/>

### California State Fire Marshal Description of Category

### CSFM CATEGORY

### Applicable Standard

#### **Fire Resistive Designs (1000-1099)**

|                                                   |      |                  |
|---------------------------------------------------|------|------------------|
| Structural Members                                | 1060 | UL 263/ASTM E119 |
| Walls/Partitions                                  | 1080 | UL 263/ASTM E119 |
| Wall Panel Assemblies (Exterior, Nonload Bearing) | 1081 | UL 263/ASTM E119 |

#### **Fire-Resistive Materials (1100 - 2999)**

|                                            |      |                   |
|--------------------------------------------|------|-------------------|
| Expansion Joints                           | 1450 | UL 263/ASTM E119  |
| Head-of-Wall/Wall-to-Wall Joint Systems    | 1451 | UL 2079/ASTM E119 |
| Floor-to-Floor/Floor-to-Wall Joint Systems | 1452 | UL 2079/ASTM E119 |
| Proscenium Curtain                         | 1670 | NFPA 80           |
| Acoustical Materials                       | 2020 | UL 2079/ASTM E84  |
| Building Unit-Boards/Planks/Slabs          | 2140 | UL 2079/ASTM E119 |
| Building Units                             | 2160 | UL 723/ASTM E119  |
| Ceiling Suspension Systems/Panels          | 2200 | UL 723/ASTM E84   |
| Interior Coating Materials (Flame Spread)  | 2280 | UL 723/ASTM E84   |
| Insulation                                 | 2440 | UL 723/ASTM E84   |
| Treated Lumber                             | 2520 | UL 723/ASTM E84   |
| Operable Partitions                        | 2545 | UL 723/ASTM E84   |
| Plywood                                    | 2580 | UL 723/ASTM E84   |
| Wallcovering (Interior)                    | 2620 | UL 723/ASTM E84   |
| Wood Particle Board                        | 2660 | UL 723/ASTM E84   |

#### **Materials/Equipment (3000 - 6999)**

|                                                     |      |                 |
|-----------------------------------------------------|------|-----------------|
| Air Diffusers (Fire-Rated)                          | 3161 | UL 723/ASTM E84 |
| Air Filter Units                                    | 3175 | CCS 12-71-1     |
| Fire Damper Operators                               | 3210 | UL 555          |
| Fire Dampers                                        | 3225 | UL 555          |
| Ceiling Dampers                                     | 3226 | UL 555C         |
| Leakage Dampers (Smoke)                             | 3230 | UL 555S         |
| Combination Fire/Smoke Dampers                      | 3235 | UL 555/555S     |
| (1)Duct Smoke Detector Housing/Base                 | 3240 | UL 268A         |
| (1)Duct Smoke Detector, Ionization (w/ or w/o Base) | 3241 | UL 268A         |
| (1)Duct Smoke Detector, Photo. (w/ or w/o Base)     | 3242 | UL 268A         |
| Folding Door (Fire-Rated)                           | 3261 | NFPA 252/UL 10B |
| Power-Operated Door                                 | 3265 | CCS 12-33-1     |
| Door Operators                                      | 3266 | UL 325          |
| Doors Wood, Bonded Solid Core                       | 3275 | NFPA 252/UL 10B |
| Fire-Rated Door                                     | 3295 | NFPA 252/UL 10B |
| Access Door (Fire-Rated)                            | 3330 | NFPA 252/UL 10B |
| Service Counter Door (Fire-Rated)                   | 3505 | NFPA 252/UL 10B |
| Rolling Steel Door (Fire-Rated)                     | 3515 | NFPA 252/UL 10B |
| Door Closer/Holders/Releasing Devices               | 3550 | UL 228          |
| Door with Integral Exit Hardware (Fire-Rated)       | 3555 | NFPA 252/UL 10B |
| <b>(1) Required to be listed with CSFM</b>          |      |                 |

**California State Fire Marshal**  
**Description of Category**

**CSFM**  
**CATEGORY**

**Applicable**  
**Standard**

|                                                   |      |                                               |
|---------------------------------------------------|------|-----------------------------------------------|
| Exit Door Accessories                             | 3625 | NFPA 252/UL 10B                               |
| Doors Frames (Fire-Rated)                         | 3650 | NFPA 252/UL 10B                               |
| Door Hardware (Fire-Rated)                        | 3725 | NFPA 252/UL 10B                               |
| Electric Locks                                    | 3774 | NFPA 252/UL 10B/UL 294                        |
| Manual Locks                                      | 3775 | CSS 12-33-2                                   |
| Electric Door Strikes/Power Supply                | 3776 | UL 228                                        |
| Window Frames                                     | 3900 | UL 9                                          |
| Fusible Links                                     | 4025 | UL 33                                         |
| Glazing-Window/Door Assemblies                    | 4075 | NFPA 252/UL 10B/UL 9                          |
| Smoke & Draft Control for Fire Door               | 4076 | UL 723/ASTM E84/UL 1784                       |
| Fire Protective Curtain                           | 4077 | UL 10D                                        |
| Panic Hardware                                    | 4140 | CSS 12-33-3                                   |
| Grease Extractors                                 | 4145 | UMC-Chapter 5                                 |
| Range Hoods/Ventilation Fans                      | 4146 | UMC-Chapter 5                                 |
| (1)Roof Covering, Wood Shakes/Shingles            | 4150 | UBC 15-2/UBC 15-3/UBC 15-4/UL790              |
| Roof Covering (Miscellaneous)                     | 4175 | UBC 15-2/UBC 15-5/UBC 15-6                    |
| Roof Insulation                                   | 4310 | UL 1256                                       |
| Safety Padding (Wall/Floor)                       | 4320 | CSS 12-42-1                                   |
| Skylights (Plastic)                               | 4350 | ASTM D2843                                    |
| Ventilators, Smoke and Heat                       | 4475 | CSS 12-39-1/NFPA 96                           |
| Waste Material Containers                         | 4480 | ASTM E-136, UL 32(metal)<br>UL 242(non-metal) |
| Combustible Waste Containers                      | 4481 | FM 6920/6921/T.19                             |
| Opening Protection (Firestopping)                 | 4485 | ASTM E814                                     |
| Circuit Protectors/Surge Protective Devices       | 4945 | UL 1449/UL 497A                               |
| Flooring, Electrically Conductive                 | 5225 | UL 779                                        |
| Gas/Vapor Detectors                               | 5275 | UL 1484/UL 2075                               |
| (1)Carbon Monoxide Alarms                         | 5276 | UL 2034                                       |
| (1)Carbon Monoxide Detectors                      | 5278 | UL 2075                                       |
| Tubing/Conduit                                    | 5620 | Varies                                        |
| Emergency Lighting Equipment                      | 6180 | UL 924                                        |
| Exit Signs                                        | 6200 | UL 924                                        |
| Exit Path Marking                                 | 6210 | UL 1994                                       |
| Raceways, Metallic or Non-Metallic                | 6610 | UL 5/UL 884                                   |
| Electrical Switches                               | 6760 | Varies                                        |
| Emergency Radio Communication Enhancement Systems | 6900 | UL 2524                                       |
| (1)Voice Communication Systems Control Units      | 6911 | UL 864                                        |
| (1)Voice Communication Accessories                | 6912 | UL 864                                        |

**Automatic Fire Extinguishing Systems (Non-Water) (7000-7099)**

|                                            |      |                  |
|--------------------------------------------|------|------------------|
| CO <sub>2</sub> Fire Extinguishing Systems | 7050 | NFPA 12          |
| Fixed Aerosol Fire Extinguishing Systems   | 7080 | UL2775/NFPA 2010 |
| Dry Chemical Fire Extinguishing Systems    | 7082 | UL 1254/NFPA 17  |
| Wet Chemical Fire Extinguishing Systems    | 7085 | UL 300/NFPA 17A  |
| Extinguishing Systems Clean Agent          | 7086 | NFPA 2001        |

**(1)Fire Alarm (7100-7499)**

|                                             |      |                                       |
|---------------------------------------------|------|---------------------------------------|
| Annunciators                                | 7120 | UL 864                                |
| Fire Alarm Devices for the Hearing Impaired | 7125 | UL 1971                               |
| Audible Devices                             | 7135 | UL 464                                |
| Audible Devices for Hazardous Locations     | 7136 | UL 464/698/1203/1604,<br>FM 3600/3610 |

**(1) Required to be listed with CSFM**

**California State Fire Marshal**  
**Description of Category**

**CSFM**  
**CATEGORY**

**Applicable**  
**Standard**

|                                                |      |                                       |
|------------------------------------------------|------|---------------------------------------|
| Boxes/Pull Stations                            | 7150 | UL 38                                 |
| Boxes/Pull Stations for Hazardous Locations    | 7151 | UL 38/698/1203/1604                   |
| (2)Cables-Others                               | 7160 | UL4/13/444/1569/ NEC 725/800          |
| (2)Cables-Fire Protective Signaling            | 7161 | UL 1424/NEC 760                       |
| (2)Cables-Fire Resistive Cables                | 7162 | UL 2196                               |
| Control Unit (Non High-Rise)                   | 7165 | UL 864                                |
| Control Unit (Household)                       | 7167 | UL 985                                |
| Control Unit-Receiver/Central Station          | 7168 | UL 864                                |
| Control Unit (High-Rise)                       | 7170 | UL 864                                |
| Flame Detector                                 | 7210 | FM 3260                               |
| Mechanical Heat Detector                       | 7230 | CSS 12-72-2                           |
| Heat Detector (Single/Multiple)                | 7254 | UL 539                                |
| Ionization Smoke Detector (Single/Multiple)    | 7256 | UL 217                                |
| Photoelectric Smoke Detector (Single/Multiple) | 7257 | UL 217                                |
| Combination Ion/Photo Smoke Detector           | 7258 | UL 217/UL 268                         |
| Air Sampling Smoke Detector                    | 7259 | UL 268                                |
| Beam Smoke Detection System                    | 7260 | UL 268                                |
| Combination Smoke/CO Ion Smoke Alarm           | 7262 | UL 217/UL 2034                        |
| Combination Smoke/CO Photo Smoke Alarm         | 7263 | UL 217/UL 2034                        |
| Combination Smoke/CO Ion/Photo Smoke Alarm     | 7264 | UL 217/UL 2034                        |
| Heat Detector                                  | 7270 | UL 521                                |
| Ionization Smoke Detector                      | 7271 | UL 268                                |
| Photoelectric Smoke Detector                   | 7272 | UL 268                                |
| Smoke Detector for Hazardous Locations         | 7273 | UL 268/698/1203/1604,<br>FM 3600/3610 |
| Heat Detector for Hazardous Locations          | 7274 | UL 521/698/1203/1604,<br>FM 3600/3610 |
| Combination Smoke/CO Photo Smoke Detector      | 7275 | UL 268/UL 2075                        |
| Combination Smoke/CO Ion Smoke Detector        | 7276 | UL 268/UL 2075                        |
| Combination Smoke/CO/Heat Photo Smoke Detector | 7277 | UL 268/UL 2075/UL 521                 |
| Combination Smoke/CO/Heat Ion Smoke Detector   | 7278 | UL 268/UL 2075/UL 521                 |
| Misc. Devices/Control Unit Accessories         | 7300 | Varies                                |
| Misc. Signaling Equipment                      | 7305 | Varies                                |
| Power Units                                    | 7315 | UL 1481                               |
| Speakers                                       | 7320 | UL 1480                               |
| Transmitters                                   | 7330 | UL 632                                |
| (1) Required to be listed with CSFM            |      |                                       |
| (2) NOT Required to be listed with CSFM        |      |                                       |

**Automatic Extinguishing Systems (WATER ONLY) (7500 - 7799)**

|                   |      |              |
|-------------------|------|--------------|
| Pipe/Fittings     | 7515 | Various ANSI |
| Misc. Accessories | 7610 | NFPA 13      |
| Sprinkler Heads   | 7690 | UL199/UL1626 |
| Valves/Switches   | 7770 | UL193        |

**Wildland Urban Interface (WUI) (8000-8499)**

|                                                                    |      |                          |
|--------------------------------------------------------------------|------|--------------------------|
| Decking for Wildland Urban Interface                               | 8110 | SFM 12-7A-4/SFM 12-7A-4A |
| Exterior Windows for Wildland Urban Interface                      | 8120 | SFM 12-7A-2              |
| Exterior Wall Siding and Sheathing<br>for Wildland Urban Interface | 8140 | SFM 12-7A-1              |
| Exterior Door for Wildland Urban Interface                         | 8150 | SFM 12-7A-1              |

| <b><u>California State Fire Marshal</u></b><br><b><u>Description of Category</u></b> | <b><u>CSFM</u></b><br><b><u>CATEGORY</u></b> | <b><u>Applicable</u></b><br><b><u>Standard</u></b> |
|--------------------------------------------------------------------------------------|----------------------------------------------|----------------------------------------------------|
| Horizontal Projection Underside<br>for Wildland Urban Interface                      | 8160                                         | SFM 12-7A-3                                        |
| Vents for Wildland Urban Interface                                                   | 8165                                         | ASTM E2886                                         |
| Ignition-Resistant Materials                                                         | 8170                                         | ASTM E84/ASTM E2768/UL723                          |
| Noncombustible Materials                                                             | 8175                                         | ASTM E136                                          |
| Non-Wood Roof Covering /Assemblies<br>for Wildland Urban Interface                   | 8180                                         | ASTM E108                                          |

### **Miscellaneous (8500-9999)**

|                                                          |      |                 |
|----------------------------------------------------------|------|-----------------|
| Air Ducts                                                | 8530 | UL181           |
| Adhesives                                                | 8531 | UL 723/ASTM E84 |
| (1)Fuel Containers, Portable (Portable Gas Containers)   | 8610 | ASTM F2517-05   |
| Flexible Duct Connectors                                 | 8532 | UL181           |
| Nonmetallic Ducts                                        | 8534 | UL181           |
| Sealers/Sealing Bands                                    | 8535 | UL 723/ASTM E84 |
| Vibration Isolators                                      | 8537 | UL 723/ASTM E84 |
| Pneumatic Tubing                                         | 9285 | UL1820          |
| LP Gas Shut-Off Valve                                    | 9660 | UL125           |
| Child Resistance Portable Fuel Containers <sup>(1)</sup> | 9700 | ASTM-F2517-05   |
| <b>(1) Required to be listed with CSFM</b>               |      |                 |

## **DESCRIPTION OF APPLICABLE STANDARDS**

### **UNIFORM BUILDING CODE STANDARDS (UBC)**

|          |                                                                      |
|----------|----------------------------------------------------------------------|
| UBC 15-2 | Test Standard for Determining the Fire Retardancy of Roof Assemblies |
| UBC 15-3 | Wood Shakes                                                          |
| UBC 15-4 | Wood Shingles                                                        |

### **NATIONAL ELECTRICAL CODE (NEC)**

|          |                                                                                     |
|----------|-------------------------------------------------------------------------------------|
| 2001 CEC | California Electrical Code (1999 NEC with California Amendments)                    |
| NEC 725  | Class 1, Class 2, and Class 3 Remote-Control, Signaling, and Power-Limited Circuits |
| NEC 760  | Fire Alarm Signaling                                                                |
| NEC 800  | Communication Circuits                                                              |

### **CALIFORNIA STATE STANDARDS (CSS)**

|          |                                                                        |
|----------|------------------------------------------------------------------------|
| 12-3     | Releasing Systems for Security Bars in Dwellings                       |
| 12-10-1  | Power Operated Exit Doors                                              |
| 12-10-2  | Single Point Latching or Locking Devices                               |
| 12-10-3  | Emergency Exit and Panic Hardware                                      |
| 12-4-1   | Smoke and Heat Ventilators (for Stages and Platforms)                  |
| 12-7A-1  | Exterior Wall Siding and Sheathing, Direct Flame Exposure              |
| 12-7A-2  | Exterior Windows, Direct Flame Exposure                                |
| 12-7A-3  | Horizontal Projection Underside                                        |
| 12-7A-4  | Decking                                                                |
| 12-7A-4A | Decking Alternate Method A                                             |
| 12-8-1   | Fire Resistive Standards for Fire Protection                           |
| 12-71-1  | Air Filters                                                            |
| 12-72-1  | Protective Signaling Systems                                           |
| 12-72-2  | Single and Multi-Station Fire Alarm Devices/Mechanically Operated Type |
| 12-72-3  | Smoke Detectors/Combustion Products Type                               |

## **AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM)**

|       |                                                                                |
|-------|--------------------------------------------------------------------------------|
| D2843 | Test Method for Density of Smoke from the Burning or Decomposition of Plastics |
| E84   | Test Method for Surface Burning Characteristics of Building Materials          |
| E108  | Test Methods for Fire Tests of Roof Coverings                                  |

## **AMERICAN SOCIETY FOR TESTING MATERIALS (ASTM) Continued**

|       |                                                                                                                     |
|-------|---------------------------------------------------------------------------------------------------------------------|
| E119  | Test Methods for Fire Tests of Building Construction and Materials                                                  |
| E136  | Test Method for Behavior of Materials in a Vertical Tube Furnace at 750°C                                           |
| E163  | Test Methods of Fire Tests of Window Assemblies                                                                     |
| E814  | Test Methods for Fire Tests of Through-Penetration Fire Stops                                                       |
| E2886 | Test Method for Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement |

## **NATIONAL FIRE PROTECTION ASSOCIATION (NFPA)**

|           |                                                                                        |
|-----------|----------------------------------------------------------------------------------------|
| NFPA 12   | Carbon Dioxide Extinguishing Systems, 2018 Edition                                     |
| NFPA 12A  | Halon 1301 Fire Extinguishing Systems, 2018 Edition                                    |
| NFPA 13   | Standard for Installation of Sprinkler Systems, 2016 Edition                           |
| NFPA 15   | Water Sprayed Fixed Systems for Fire Protection, 2017 Edition                          |
| NFPA 17   | Dry Chemical Extinguishing Systems, 2017 Edition                                       |
| NFPA 17A  | Wet Chemical Extinguishing Systems, 2017 Edition                                       |
| NFPA 72   | National Fire Alarm Code, 2016 Edition                                                 |
| NFPA 80   | Standard for Fire Doors and Other Opening Protectives, 2016 Edition                    |
| NFPA 96   | Ventilation Control and Fire Protection of Commercial Cooking Operations, 2017 Edition |
| NFPA 252  | Standard Methods of Fire Tests of Door Assemblies, 2017 Edition                        |
| NFPA 2001 | Clean Agent Fire Extinguishing Systems, 2018 Edition                                   |
| NFPA 2010 | Standard for Fixed Aerosol Fire-Extinguishing Systems                                  |

## **FACTORY MUTUAL (FM)**

|         |                                                                                                                                |
|---------|--------------------------------------------------------------------------------------------------------------------------------|
| FM 3260 | Flame Radiation Detectors for Automatic Fire Alarm Signaling, 2000 Edition                                                     |
| FM 3600 | Electrical Equipment for Use In Hazardous (Classified) Locations General Requirements                                          |
| FM 3610 | Intrinsically Safe Apparatus and Associated Apparatus for Use In Class I, II, III, Division 1 Hazardous (Classified) Locations |
| FM 6921 | Containers for Combustible Waste                                                                                               |
| FM 3210 | Thermostats for Automatic Fire Detection                                                                                       |

## **UNDERWRITERS LABORATORY (UL)**

|        |                                                                                                  |
|--------|--------------------------------------------------------------------------------------------------|
| UL 3   | Flexible Nonmetallic Tubing for Electric Wiring, 10 <sup>th</sup> Edition 1999                   |
| UL 4   | Armored Cable, 15 <sup>th</sup> Edition 2004                                                     |
| UL 5   | Surface Metal Raceways and Fittings, 15 <sup>th</sup> Edition 2016                               |
| UL 9   | Fire Tests of Windows Assemblies, 8 <sup>th</sup> Edition 2009                                   |
| UL 10B | Fire Tests of Door Assemblies, 10 <sup>th</sup> Edition 2008                                     |
| UL 10D | Fire Tests of Fire-Protective Curtain Assemblies, 2 <sup>nd</sup> Edition 2017                   |
| UL 13  | Power-Limited Circuit Cables, 4 <sup>th</sup> Edition 2015                                       |
| UL 32  | Metal Waste Cans, 5 <sup>th</sup> Edition 1994                                                   |
| UL 33  | Heat Responsive Links for Fire Protection Service, 8 <sup>th</sup> Edition 2010                  |
| UL 38  | Manually Actuated Signaling Boxes, 8 <sup>th</sup> Edition 2008                                  |
| UL 125 | Valves for Anhydrous Ammonia and LP-Gas (Other than Safety Relief), 9 <sup>th</sup> Edition 2014 |
| UL 181 | Factory-Made Air Ducts and Air Connectors, 11 <sup>th</sup> Edition 2013                         |
| UL 193 | Alarm Valves for Fire-Protection Service, 11 <sup>th</sup> Edition 2016                          |
| UL 199 | Automatic Sprinklers for Fire Protection Service, 11 <sup>th</sup> Edition 2005                  |
| UL 217 | Single and Multiple-Station Smoke Alarms, as amended, 8 <sup>th</sup> Edition 2015               |

|         |                                                                                                                                                                 |
|---------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------|
| UL 228  | Door Closers/Holders, With or Without Integral Smoke Alarms, 5 <sup>th</sup> Edition 2006                                                                       |
| UL 242  | Nonmetallic Containers for Waste Paper, 4 <sup>th</sup> Edition 2015                                                                                            |
| UL 263  | Fire Tests of Building Construction and Materials, 14 <sup>th</sup> Edition 2011                                                                                |
| UL 268  | Smoke Detectors for Fire Alarm Systems, 7 <sup>th</sup> Edition 2016                                                                                            |
| UL 268A | Smoke Detectors for Duct Applications, 4 <sup>th</sup> Edition 2008                                                                                             |
| UL 294  | Access Control System Units, 7 <sup>th</sup> Edition 2018                                                                                                       |
| UL 300  | Fire Testing of Fire Extinguishing Systems for Protection of Commercial Cooking Equipment, 3 <sup>rd</sup> Edition 2010                                         |
| UL 325  | Door, Drapery, Gate, Louver, and Window Operators and Systems, 7 <sup>th</sup> Edition 2017                                                                     |
| UL 444  | Communications Cables, 5 <sup>th</sup> Edition 2017                                                                                                             |
| UL 464  | Audible Signal Appliances, 10 <sup>th</sup> Edition 2016                                                                                                        |
| UL 497A | Secondary Protectors for Communications Circuits                                                                                                                |
| UL 521  | Heat Detectors for Fire Protective Signaling Systems, 7 <sup>th</sup> Edition 1999                                                                              |
| UL 539  | Single/Multi Station Heat Detectors, 7 <sup>th</sup> Edition 2017                                                                                               |
| UL 555  | Fire Dampers, 7 <sup>th</sup> Edition 2006                                                                                                                      |
| UL 555C | Ceiling Dampers, 4 <sup>th</sup> Edition 2014                                                                                                                   |
| UL 555S | Smoke Dampers, 5 <sup>th</sup> Edition 2014                                                                                                                     |
| UL 632  | Electrically Actuated Transmitters, 7 <sup>th</sup> Edition 2000                                                                                                |
| UL 698  | Industrial Control Equipment for Hazardous (Classified) Locations, 13 <sup>th</sup> Edition 2006                                                                |
| UL 723  | Test for Surface Burning Characteristics of Building Materials, 11 <sup>th</sup> Edition 2018                                                                   |
| UL 779  | Electrically Conductive Floorings, 8 <sup>th</sup> Edition 2011                                                                                                 |
| UL 790  | Tests for Fire Resistance of Roof Covering Materials, 8 <sup>th</sup> Edition 2004                                                                              |
| UL 864  | Control Units for Fire-Protective Signaling Systems, 10 <sup>th</sup> Edition 2014                                                                              |
| UL 884  | Underfloor Electric Raceways and Fittings, 13 <sup>th</sup> Edition 2016                                                                                        |
| UL 894  | Switches for use in Hazardous (Classified) Locations, 7 <sup>th</sup> Edition 2009                                                                              |
| UL 924  | Emergency Lighting and Power Equipment, 10 <sup>th</sup> Edition 2016                                                                                           |
| UL 985  | Household Fire Warning System Units, 6 <sup>th</sup> Edition 2015                                                                                               |
| UL 1058 | Halogenated Agent Extinguisher System Units, 4 <sup>th</sup> Edition 2006                                                                                       |
| UL 1203 | Explosion-Proof and Dust-Ignition-Proof Electrical Equipment for Use in Hazardous (Classified) Locations, 5 <sup>th</sup> Edition 2013                          |
| UL 1254 | Pre-Engineered and Engineered Dry and Pre-Engineered Wet Chemical Extinguishing System Units, 4 <sup>th</sup> Edition 2013                                      |
| UL 1256 | Fire Test of Roof Deck Construction, 4 <sup>th</sup> Edition 2002                                                                                               |
| UL 1424 | Cables for Power-Limited Fire Protective Signaling Circuits, 4 <sup>th</sup> Edition 2015                                                                       |
| UL 1449 | Transient Voltage Surge Suppressors, 4 <sup>th</sup> Edition 2014                                                                                               |
| UL 1480 | Speakers for Fire Protective Signaling Systems, 6 <sup>th</sup> Edition 2016                                                                                    |
| UL 1481 | Power Supplies for Fire Protective Signaling Systems, 5 <sup>th</sup> Edition 2006                                                                              |
| UL 1484 | Residential Gas Detectors, 5 <sup>th</sup> Edition 2016                                                                                                         |
| UL 1567 | Receptacles and Switches Intended for Use With Aluminum Wire, 5 <sup>th</sup> Edition 2012                                                                      |
| UL 1569 | Metal-Clad Cables, 5 <sup>th</sup> Edition 2018                                                                                                                 |
| UL 1604 | Electrical Equipment for Use in Class I and II, Division 2 and Class III Hazardous (Classified) Locations, 3 <sup>rd</sup> Edition 1995                         |
| UL 1626 | Residential Sprinklers for Fire Protection Service, 1 <sup>st</sup> Edition 2003                                                                                |
| UL 1638 | Visual Signaling Appliances Private Mode Emergency and General Utility Signaling, 5 <sup>th</sup> Edition 2016                                                  |
| UL 1730 | Smoke Detector Monitors and Accessories (Annunciators) for Individual Living Units of Multifamily Residence and Hotel/Motel Rooms, 4 <sup>th</sup> Edition 2006 |
| UL 1784 | Air Leakage Tests for Door Assemblies, 4 <sup>th</sup> Edition 2015                                                                                             |
| UL 1820 | Fire Test of Pneumatic Tubing for Flame and Smoke Characteristics, 4 <sup>th</sup> Edition 2004                                                                 |
| UL 1971 | Signaling Devices for the Hearing Impaired, 3 <sup>rd</sup> Edition 2002                                                                                        |
| UL 1994 | Luminous Egress Path Marking Systems, 4 <sup>th</sup> Edition 2015                                                                                              |
| UL 2034 | Single and Multiple Station Carbon Monoxide Alarms, 4 <sup>th</sup> Edition 2017                                                                                |
| UL 2075 | Gas and Vapor Detectors and Sensors, 2 <sup>nd</sup> Edition 2013                                                                                               |
| UL 2079 | Tests for Fire Resistance of Building Joint Systems, 5 <sup>th</sup> Edition 2015                                                                               |
| UL 2196 | Tests for Fire Resistive Cables, 2 <sup>nd</sup> Edition 2017                                                                                                   |
| UL 2524 | In-Building 2-Way Emergency Radio Communication Enhancement Systems, 1 <sup>st</sup> Edition 2018                                                               |
| UL 2775 | Fixed Condensed Aerosol Extinguishing System Units                                                                                                              |