

APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)



Department of Forestry & Fire Protection
Office of the State Fire Marshal
Fire Engineering & Investigations Division
Building Materials Listing (BML) Program

**Approved Inspection Agencies for Products Listed for the
Wildland Urban Interface (WUI) Areas**

APA-The Engineered Wood Association

7011 South 19th Street, Tacoma, WA 98466

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

Architectural Testing Inc. (ATI)

130 Derry Court, York, PA 17406-8405

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

SFM 12-7A-4 Decking

SFM 12-7A-4A Decking - Alternate Method A

Canadian Mill Services Association (CMSA)

601 6th Street, Suite 200, New Westminster, BC V3L 3C1, Canada

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

SFM 12-7A-4 Decking

SFM 12-7A-4A Decking - Alternate Method A

Composite Panel Association

19465 Deerfield Avenue, Suite 306, Leesburg, VA 20176

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

Fire Tech Services Inc.

9008 300th Place SE, Issaquah, WA 98027-8832

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

ASTM E84 Test Method for Surface Burning Characteristics of Building Materials

UBC 15-2 Test Standard for Determining the Fire Retardancy of Roof Assemblies

UBC 15-3 Wood Shakes

UBC 15-4 Wood Shingles

**APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)**

IAPMO Uniform Evaluation Service, LLC (IAPMO UES)

4755 E. Philadelphia Street, Ontario, CA 91761

Approved Inspection for:

SFM 12-7A-1	Exterior Wall Siding and Sheathing
SFM 12-7A-2	Exterior Windows
SFM 12-7A-3	Horizontal Projection Underside
SFM 12-7A-4	Decking
SFM 12-7A-4A	Decking - Alternate Method A
SFM 12-7A-5	Ignition Resistant Material
ASTM D2898	Standard Practice for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing
ASTM D3909	Standard Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules
ASTM E84	Test Method for Surface Burning Characteristics of Building Materials
ASTM E2632	Standard Test Method for Evaluating the Under-Deck Fire Test Response of Deck Materials
ASTM E2707	Standard Test Method for Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure
ASTM E2726	Standard Test Method for Evaluating the Fire Test Response of Deck Structures to Burning Brands
ASTM E2886	Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement
ASTM E2957	Standard Test Method for Resistance to Wildfire Penetration of Eaves, Soffits and Other Projections
NFPA 257	Standard on Fire Test for Window and Glass Block Assemblies
UL 723	Standard for Test for Surface Burning Characteristics of Building Materials

ICC Evaluation Service, LLC (ICC-ES)

3060 Saturn Street, Suite 100, Brea, CA 92821

Approved Inspection for:

SFM 12-7A-1	Exterior Wall Siding and Sheathing
SFM 12-7A-2	Exterior Windows
SFM 12-7A-3	Horizontal Projection Underside
SFM 12-7A-4	Decking
SFM 12-7A-4A	Decking - Alternate Method A
SFM 12-7A-5	Ignition Resistant Material
ASTM D2898	Standard Practice for Accelerated Weathering of Fire-Retardant-Treated Wood for Fire Testing
ASTM D3909	Standard Specification for Asphalt Roll Roofing (Glass Felt) Surfaced with Mineral Granules
ASTM E84	Test Method for Surface Burning Characteristics of Building Materials
ASTM E2632	Standard Test Method for Evaluating the Under-Deck Fire Test Response of Deck Materials
ASTM E2707	Standard Test Method for Determining Fire Penetration of Exterior Wall Assemblies Using a Direct Flame Impingement Exposure

**APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)**

ASTM E2726	Standard Test Method for Evaluating the Fire Test Response of Deck Structures to Burning Brands
ASTM E2886	Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement
ASTM E2957	Standard Test Method for Resistance to Wildfire Penetration of Eaves, Soffits and Other Projections
NFPA 257	Standard on Fire Test for Window and Glass Block Assemblies
UL 723	Standard for Test for Surface Burning Characteristics of Building Materials

Intertek Testing Services NA, Inc.

8431 Murphy Drive, Middleton, WI 53562

Intertek Testing Services NA, Inc.

16015 Shady Falls Road, Elmendorf, TX 78112-9784

Intertek Testing Services NA, Ltd.

1500 Brigantine Drive, Coquitlam, BC V3K 7C1, Canada

Approved Inspection for:

SFM 12-7A-1	Exterior Wall Siding and Sheathing
SFM 12-7A-2	Exterior Windows
SFM 12-7A-3	Horizontal Projection Underside
SFM 12-7A-4	Decking
SFM 12-7A-4A	Decking - Alternate Method A
SFM 12-7A-5	Ignition Resistant Material
ASTM E84	Test Method for Surface Burning Characteristics of Building Materials
ASTM E136	Standard Test Method for Behavior of Materials in a Vertical Tube Furnace
ASTM E2912	Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction
ASTM E2886	Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement
UBC 15-2	Test Standard for Determining the Fire Retardancy of Roof Assemblies
UBC 15-3	Wood Shakes
UBC 15-4	Wood Shingles

National Accreditation & Management Institute Inc. (NAMI)

4794 George Washington Memorial Highway, Hayes, VA 23072

Approved Inspection for:

SFM 12-7A-1	Exterior Wall Siding and Sheathing
--------------------	------------------------------------

Pacific Lumber Inspection Bureau (PLIB)

1010 South 336th Street, Suite 300, Dederal Way, WA 98003

Approved Inspection for:

SFM 12-7A-1	Exterior Wall Siding and Sheathing
SFM 12-7A-4	Decking
SFM 12-7A-4A	Decking - Alternate Method A

**APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)**

PFS Corporation

1507 Matt Pass, Cottage Grove, WI 53527

Approved Inspection for:

SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A

Product Certification Consultants, LLC

1676 Tupolo Drive, San Jose, CA 95124

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-2 Exterior Windows
SFM 12-7A-3 Horizontal Projection Underside
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A
SFM 12-7A-5 Ignition Resistant Material
ASTM E84 Test Method for Surface Burning Characteristics of Building Materials
ASTM E2912 Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction
ASTM E2886 Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement

Progressive Engineering Inc.

58640 State Road 15, Goshen, IN 46528

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A

QAI Laboratories

8285 White Oak Avenue, Rancho Cucamonga, CA 91730

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-2 Exterior Windows
SFM 12-7A-3 Horizontal Projection Underside
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A
SFM 12-7A-5 Ignition Resistant Material
ASTM E84 Test Method for Surface Burning Characteristics of Building Materials
ASTM E2912 Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction
ASTM E2886 Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement

**APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)**

Ramtech Laboratories

14104 Orange Avenue, Paramount, CA 90723

Approved Inspection for:

SFM 12-7A-2 Exterior Windows
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A
SFM 12-7A-5 Ignition Resistant Material

Redwood Inspection Service

818 Grayson Road, Suite 201, Pleasant Hill, CA 94523

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A

RI Ogawa and Associates, Inc.

P.O. Box 81648

Las Vegas, Nevada 89117

Approved Inspection for:

Concrete Tiles
Clay Tiles
Fiber Cement Products

RISE Research Institutes of Sweden AB

Box 857

501 15 Borås, Sweden

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A

Southwest Research Institute (SWRI)

6220 Culebra Road, San Antonio, Texas 78238

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing
SFM 12-7A-2 Exterior Windows
SFM 12-7A-3 Horizontal Projection Underside
SFM 12-7A-4 Decking
SFM 12-7A-4A Decking - Alternate Method A
SFM 12-7A-5 Ignition Resistant Material
ASTM E84 Test Method for Surface Burning Characteristics of Building Materials
ASTM E136 Standard Test Method for Behavior of Materials in a Vertical Tube Furnace
UBC 15-2 Test Standard for Determining the Fire Retardancy of Roof Assemblies
UBC 15-3 Wood Shakes
UBC 15-4 Wood Shingles

**APPROVED INSPECTION AGENCIES FOR PRODUCTS LISTED FOR
THE WILDLAND URBAN INTERFACE (WUI) AREAS (CONTINUED)**

Timber Products Inspection, Inc.

105 S.E. 124th Avenue, Vancouver, WA 98684

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

Underwriters Laboratories, Inc. (UL)

333 Pfingsten Road, Northbrook, IL 60062-2096

Underwriters Laboratories, Inc. (UL)

1285 Walt Whitman Road, Melville, NY 11747-3081

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

SFM 12-7A-2 Exterior Windows

SFM 12-7A-3 Horizontal Projection Underside

SFM 12-7A-4 Decking

SFM 12-7A-4A Decking - Alternate Method A

SFM 12-7A-5 Ignition Resistant Material

ASTM E84 Test Method for Surface Burning Characteristics of Building Materials

ASTM E136 Standard Test Method for Behavior of Materials in a Vertical Tube Furnace

ASTM E2912 Fire Test of Non-Mechanical Fire Dampers Used in Vented Construction

ASTM E2886 Evaluating the Ability of Exterior Vents to Resist the Entry of Embers and Direct Flame Impingement

UBC 15-2 Test Standard for Determining the Fire Retardancy of Roof Assemblies

UBC 15-3 Wood Shakes

UBC 15-4 Wood Shingles

West Coast Lumber Inspection Bureau

6980 S.W. Varns Street, Tigard, OR 97223

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

SFM 12-7A-4 Decking

SFM 12-7A-4A Decking - Alternate Method

Western Wood Products Association

522 SW Fifth Avenue, Suite 500, Portland, OR 97204

Approved Inspection for:

SFM 12-7A-1 Exterior Wall Siding and Sheathing

SFM 12-7A-4 Decking

SFM 12-7A-4A Decking - Alternate Method A