

Rope Rescue Awareness / Operations

(NFPA 1006: Technical Rescue Personnel Professional Qualifications)

Instructor Task Book (2017)



California Department of Forestry and Fire Protection
Office of the State Fire Marshal
State Fire Training

Overview

Authority

This instructor task book takes into consideration the training standards set forth in the NFPA 1006: Technical Rescue Personnel Professional Qualifications (2017).

Published: December 2020

Published by: State Fire Training, PO Box 944246 Sacramento, CA 94244-2460
Cover photo courtesy of State Fire Training.

Purpose

The State Fire Training instructor task book is a performance-based document that identifies the minimum requirements necessary to teach Rope Rescue Awareness / Operations (2017). Completion of an instructor task book verifies that an instructor candidate has demonstrated the job performance requirements to teach this course.

Assumptions

Each job performance requirement (JPR) shall be evaluated after the candidate initiates the task book.

An evaluator verifies satisfactory execution of a job performance requirement (JPR) through first-hand observation.

State Fire Training task books do not count towards the NWCG task book limit. There is no limit to the number of State Fire Training task books a candidate may pursue at one time as long as the candidate meets the initiation requirements of each.

It is the candidate's responsibility to routinely check the State Fire Training website for updates to an initiated task book. All State Fire Training issued updates to an initiated task book are required for task book completion.

A candidate must complete a task book within three years its initiation date. Otherwise, a candidate must initiate a new task books using the course's current published version.

Roles and Responsibilities

Candidate

The candidate is the individual pursuing instructor registration.

Initiation

The candidate shall:

1. Complete all Initiation Requirements.
 - Please print or type.
2. Complete a block on the Signature Verification page with a handwritten signature.

Completion

The candidate shall:

1. Complete all Job Performance Requirements.
 - Ensure that an evaluator initials, signs, and dates each task to verify completion.
2. Complete all Completion Requirements.
3. Sign and date the candidate verification statement under **Review and Approval** with a handwritten signature.
4. Obtain their fire chief's handwritten (not stamped) signature on the fire chief verification section.
5. Create and retain a physical or high-resolution digital copy of the completed task book.

Submission

The candidate shall:

6. Submit a copy (physical or digital) of the completed task book and any supporting documentation to State Fire Training.
 - See Submission and Review below.

A candidate should not submit a task book until they have completed all requirements and obtained all signatures. State Fire Training will reject and return an incomplete task book.

Evaluator

An evaluator is any individual who verifies that the candidate can satisfactorily execute a job performance requirement (JPR).

An evaluator verifies satisfactory execution through first-hand observation

A qualified evaluator is a State Fire Training Registered Instructor of Rope Rescue Awareness / Operations (2017).

All evaluators shall:

1. Complete a block on the Signature Verification page with a handwritten signature.
2. Review and understand the candidate's task book requirements and responsibilities.
3. Verify the candidate's successful completion of one or more job performance requirements through first-hand observation.
 - Do not evaluate any job performance requirement (JPR) until after the candidate initiates the task book.
 - Sign all appropriate lines in the task book with a handwritten signature or approved digital signature (e.g. DocuSign or Adobe Sign) to record demonstrated performance of tasks.

Fire Chief

The fire chief (or fire technology director) is the individual who reviews and confirms the completion of a candidate's instructor task book.

A fire chief may identify an authorized designee already on file with State Fire Training to fulfill any task book responsibilities assigned to the fire chief. (See *State Fire Training Procedures Manual*, 4.2.2: Authorized Signatories.)

Completion

The fire chief shall:

1. Review and understand the candidate's task book requirements and responsibilities.
2. Complete a block on the Signature Verification page with a handwritten signature.
3. Confirm that the candidate has obtained the appropriate signatures to verify successful completion of each job performance requirement.
 - Ensure that all job performance requirements were evaluated after the initiation date.
4. Confirm that the candidate meets the Completion Requirements.
5. Sign and date the Fire Chief verification statement under Review and Approval with a handwritten signature.

- If signing as an authorized designee, verify that your signature is on file with State Fire Training.

Submission and Review

A candidate should not submit a task book until they have completed all requirements and obtained all signatures. State Fire Training will reject and return an incomplete task book.

To submit a completed task book, please send the following items to the address below:

- Instructor Registration Application
- A copy of the completed task book (candidate may retain the original)
- All supporting documentation

State Fire Training
Attn: Instructor Registration
PO Box 944246
Sacramento, CA 94244-2460

State Fire Training reviews all submitted task books.

- If the task book is complete, State Fire Training will authorize the task book and retain a digital copy of the authorized task book in the candidate's State Fire Training file.
- If the task book is incomplete, State Fire Training will return the task book with a notification indicating what needs to be completed prior to resubmission.

Completion of this task book is one step in the instructor registration process. Please refer to the *State Fire Training Procedures Manual* for the complete list of qualifications required for teaching Rope Rescue Awareness / Operations.

Initiation Requirements

The following requirements must be completed prior to initiating this task book.

Candidate Information

Name: _____

SFT ID Number: _____

Fire Agency: _____

Initiation Date: _____

Prerequisites

The candidate meets the following prerequisites.

- Completion of SFT's Instructor 2 course or already an SFT Registered Instructor

Include documentation to verify prerequisite requirements when you submit your task book unless verification is already documented in your SFT User Portal.

Education

The candidate has completed the following course(s).

- Rope Rescue Awareness/Operations (2017) **OR** Low Angle Rope Rescue Operational **AND** Rescue Systems 1
- Rope Rescue Technician (2013 or 2017)
- IS-100, IS-200, IS-700 and IS-800 (SFT, CAL FIRE, FEMA, NWCG)

Include documentation to verify course completion requirements when you submit your task book unless verification is already documented in your SFT User Portal.

Experience

The candidate meets one of the following experience requirements.

- Perform rescue duties for a minimum of three years within a recognized California fire agency (e.g., being a member of an identifiable rescue team)

Signature Verification

The following individuals have the authority to verify portions of this task book using the signature recorded below.

Please print, except for the Signature line, where a handwritten signature is required. Add additional signature pages as needed.

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Name: _____
Job Title: _____
Organization: _____
Signature: _____

Job Performance Requirements

The candidate must complete each job performance requirement (JPR) in accordance with the standards of the authority having jurisdiction (AHJ) or the National Fire Protection Association (NFPA), whichever is more restrictive.

All JPRs must be completed within a California fire agency or State Fire Training Accredited Regional Training Program (ARTP).

Each JPR shall be evaluated after the candidate initiates the task book.

The candidate must complete each task twice.

- The two instances must occur during two different courses.
- The same evaluator cannot sign off on the same task twice.

Correct: Task completed during two separate courses and evaluated by two separate individuals.

1. Build a fuel load that is sufficient in material, size, and scale for the prop or facility and meets the objectives of the live fire training evolution.	1 st Evaluation			2 nd Evaluation		
	Course Code	Date	Initials	Course Code	Date	Initials
a. Identify authorized fuel materials per NFPA 1403	AAA123	2/8/18	JAS	BBB123	5/15/18	CWJ

Incorrect: Task completed twice during one course but evaluated by two separate individuals.

1. Build a fuel load that is sufficient in material, size, and scale for the prop or facility and meets the objectives of the live fire training evolution.	1 st Evaluation			2 nd Evaluation		
	Course Code	Date	Initials	Course Code	Date	Initials
a. Identify authorized fuel materials per NFPA 1403	AAA123	2/8/18	JAS	AAA123	2/8/18	CWJ

Incorrect: Task completed during two separate courses but evaluated by the same individual.

1. Build a fuel load that is sufficient in material, size, and scale for the prop or facility and meets the objectives of the live fire training evolution.	1 st Evaluation			2 nd Evaluation		
	Course Code	Date	Initials	Course Code	Date	Initials
a. Identify authorized fuel materials per NFPA 1403	AAA123	2/8/18	JAS	BBB123	5/15/18	JAS

Job Performance Requirements

Rope Rescue Awareness

Job Performance Requirements	1st Evaluation			2nd Evaluation		
	Course Code	Date	Initials	Course Code	Date	Initials
1. Recognize the need for support resources, given a specific type of rescue incident, so that a resource cache is managed, scene lighting is provided for the tasks to be undertaken, environmental concerns are managed, personnel rehabilitation is facilitated, and the support operation facilitates rescue operational objectives.						
2. Recognize incident hazards and initiate isolation procedures, given scene control barriers, personal protective equipment (PPE), requisite equipment, and available specialized resources, so that all hazards are identified, resource application fits the operational requirements, hazard isolation is considered, risks to rescuers and victims are minimized, and rescue time constraints are taken into account.						
3. Recognize needed resources for a rescue incident, given incident information, a means of communication, resources, tactical worksheets, personnel accountability protocol, applicable references, and standard operating procedures, so that references are utilized, personnel are accounted for, necessary resources are deployed to achieve desired objectives, incident actions are documented, rescue efforts are coordinated, the command structure is established, task assignments are communicated and monitored, and actions are consistent with applicable regulations.						

<p>4. Initiate a discipline-specific search, given hazard-specific PPE, equipment pertinent to search mission, an incident location, and victim investigative information, so that search parameters are established; the victim profile is established; the entry and exit of all people either involved in the search or already within the search area are questioned and the information is updated and relayed to command; the personnel assignments match their expertise; all victims are located as quickly as possible; applicable technical rescue concerns are managed; risks to searchers are minimized; and all searchers are accounted for.</p>						
<p>5. Perform ground support operations for helicopter activities, given a rescue scenario/incident, helicopter, operational plans, PPE, requisite equipment, and available specialized resources, so that rescue personnel are aware of the operational characteristics of the aircraft and demonstrate operational proficiency in establishing and securing landing zones and communicating with aircraft personnel until the assignment is complete.</p>						
<p>6. Initiate triage of victims, given triage tags and local protocol, so that rescue versus recovery factors are assessed, triage decisions reflect resource capabilities, severity of injuries is determined, and victim care and rescue priorities are established in accordance with local protocol.</p>						
<p>7. Assist a team in operation of the haul line of a rope mechanical advantage system raising operation, given rescue personnel, an established rope rescue system, a load to be moved, and an anchor system, so that the movement is controlled; a reset is accomplished; the load can be held in place when needed; commands are followed in direction of the operation; and potential problems are identified, communicated, and managed.</p>						

Rope Rescue Operations

Job Performance Requirements	1 st Evaluation			2 nd Evaluation		
	Course Code	Date	Initials	Course Code	Date	Initials
8. Perform size up of a rescue incident, given background information and applicable reference materials, so that the type of rescue is determined, the number of victims is identified, the last reported location of all victims is established, witnesses and reporting parties are identified and interviewed, resource needs are assessed, search parameters are identified, and information required to develop an incident action plan is obtained.						
9. Inspect and maintain hazard-specific PPE, given clothing or equipment for the protection of the rescuers, cleaning and sanitation supplies, maintenance logs or records, and such tools and resources as are indicated by the manufacturer’s guidelines for assembly or disassembly of components during repair or maintenance, so that damage, defects, and wear are identified and reported or repaired, equipment functions as designed, and preventive maintenance has been performed and documented consistent with the manufacturer’s recommendations.						

<p>10. Inspect and maintain rescue equipment, given maintenance logs and records, tools, and resources as indicated by the manufacturer’s guidelines, equipment replacement protocol, and organizational standard operating procedure, so that the operational status of equipment is verified and documented, all components are checked for operation, deficiencies are repaired or reported as indicated by standard operating procedure, and items subject to replacement protocol are correctly disposed of and changed.</p>						
<p>11. Demonstrate knots, bends, and hitches, given ropes, webbing, and a list of knots used by the agency, so that the knots are dressed, recognizable, and backed up as required.</p>						
<p>12. Construct a single-point anchor system, given life safety rope and other auxiliary rope rescue equipment, so that the chosen anchor system fits the incident needs, meets or exceeds the expected load, and does not interfere with rescue operations; an efficient anchor point is chosen; the need for redundant anchor points is assessed and used as required; the anchor system is inspected and loaded prior to being placed into service; and the integrity of the system is maintained throughout the operation.</p>						

<p>13. Construct a multiple-point anchor system, given life safety rope and other auxiliary rope rescue equipment, so that the chosen anchor system fits the incident needs, the system strength meets or exceeds the expected load and does not interfere with rescue operations, equipment is visually inspected prior to being put in service, the nearest anchor point that will support the load is chosen, the anchor system is system safety checked prior to being placed into service, the integrity of the system is maintained throughout the operation, and weight will be distributed between more than one anchor point.</p>						
<p>14. Conduct a system safety check, given a rope-rescue system and rescue personnel, so that a physical/visual check of the system is made to ensure proper rigging, a load test is performed prior to life-loading the system, and verbal confirmation of these actions is announced and acknowledged before life-loading the rope-rescue system.</p>						
<p>15. Place edge protection, given life safety rope or webbing traversing a sharp or abrasive edge, edge protection, and other auxiliary rope rescue equipment, so that the rope or webbing is protected from abrasion or cutting, the rescuer is safe from falling while placing the edge protection, the edge protection is secure, and the rope or webbing is securely placed on the edge protection.</p>						

<p>16. Construct a belay system, given life safety rope, anchor systems, PPE, and rope rescue equipment, so that the system is capable of arresting a fall, a fall will not result in system failure, the system is not loaded unless actuated, actuation of the system will not injure or otherwise incapacitate the belayer, the belayer is not rigged into the equipment components of the system, and the system is suitable to the site and is connected to an anchor system and the load.</p>						
<p>17. Operate a belay system during a lowering or raising operation, given an operating lowering or raising mechanical advantage system, a specified minimum travel distance for the load, a belay system, and a load, so that the potential fall factor is minimized, the belay device system is not actuated during operation of the primary rope rescue system, the belay system is prepared for actuation at all times during the operation, the belayer is attentive at all times during the operation, the load's position is continually monitored, and the belayer moves rope through the belay device as designed.</p>						
<p>18. Belay a falling load in a high-angle environment, given a belay system and a dropped load, so that the belay line is not taut until the load is falling, the belay device is actuated when the load falls, the fall is arrested in a manner that minimizes the force transmitted to the load, the belayer utilizes the belay system as designed, and the belayer is not injured or otherwise incapacitated during actuation of the belay system.</p>						
<p>19. Construct a fixed rope system, given an anchor system, a life safety rope, and rope rescue equipment, so that the system constructed can accommodate the load, is efficient, and is connected to an anchor system and the load, and a system safety check is performed and the results meet the incident requirements for descending or ascending operations.</p>						

<p>20. Ascend a fixed rope in a low-angle and a high-angle environment, given an anchored fixed rope system, a specified minimum distance for the rescuer, a system to allow ascent of a fixed rope, a structure, a belay system, a life safety harness worn by the person ascending, and PPE, so that the person ascending is secured to the fixed rope in a manner that will not allow him or her to fall; the person ascending is attached to the rope by means of an ascent control device(s) with at least two points of contact; injury to the person ascending is minimized; the person ascending can stop at any point on the fixed rope and rest suspended by his or her harness; the system will not be stressed to the point of failure; the person ascending can convert his or her ascending system to a descending system; obstacles are negotiated; the system is suitable for the site; and the objective is reached.</p>						
<p>21. Descend a fixed rope in a low-angle and a high-angle environment, given an anchored fixed-rope system, a specified minimum travel distance for the rescuer, a system to allow descent of a fixed rope, a belay system, a life safety harness worn by the person descending, and PPE, so that the person descending is attached to the fixed rope in a manner that will not allow him or her to fall; the person descending is attached to the rope by means of a descent control device; the speed of descent is controlled; injury to the person descending is minimized; the person descending can stop at any point on the fixed rope and rest suspended by his or her harness; the system will not be stressed to the point of failure; the system is suitable for the site; and the objective is reached.</p>						

<p>22. Demonstrate the ability to escape from a jammed or malfunctioning device during a fixed rope descent in a high-angle environment, given an anchored fixed-rope system with a simulated malfunctioning descent control device, a system to allow escape from the malfunctioning device, a belay system, a life safety harness worn by the person descending, and PPE, so that the person descending is attached to the fixed rope in a manner that will not allow him or her to fall; the person descending is attached to the rope by means of a descent control device; the means for escape will allow the rescuer to escape either upward or downward from the malfunctioning descent control device; injury potential to the rescuer is minimized; the system will not be stressed to the point of failure; the system is suitable for the site; and the objective is reached.</p>						
<p>23. Construct a lowering system, given an anchor system, life safety rope(s), a descent control device, and auxiliary rope rescue equipment, so that the system can accommodate the load, is efficient, is capable of controlling the descent, is capable of holding the load in place or lowering with minimal effort over the required distance, and is connected to an anchor system and the load.</p>						

<p>24. Operate and direct a lowering and a raising system in a low-angle and a high-angle environment, given rescue personnel, an established lowering system, a specified minimum travel distance for the load, and a load to be moved, so that the movement is controlled, a knot is passed, the load can be held in place when needed, the system is converted to a raise, operating methods do not stress the system to the point of failure, rope commands are used to direct the operation, and potential problems are identified, communicated, and managed.</p>						
<p>25. Construct a simple rope mechanical advantage system, given life safety rope, carabiners, pulleys, rope grab devices, and auxiliary rope rescue equipment, so that the system constructed can accommodate the load, is efficient, and is connected to an anchor system and the load.</p>						
<p>26. Operate and direct a team in the operation of a simple rope mechanical advantage system in a low-angle and a high-angle raising operation, given rescue personnel, an established rope rescue system incorporating a simple rope mechanical advantage system, a specified minimum travel distance for the load, a load to be moved, and an anchor system, so that the movement is controlled, a reset is accomplished, the load can be held in place when needed, operating methods do not stress the system to the point of failure, commands are used to direct the operation, and potential problems are identified, communicated, and managed.</p>						

<p>27. Construct a compound rope mechanical advantage system, given a load, an anchor system, life safety rope, carabiners, pulleys, rope grab devices, and rope rescue equipment, so that the system constructed accommodates the load and reduces the force required to lift the load, operational interference is factored and minimized, the system is efficient, a system safety check is completed, and the system is connected to an anchor system and the load.</p>						
<p>28. Construct a complex rope mechanical advantage system, given a load, an anchor system, life safety rope, carabiners, pulleys, rope grab devices, and rope rescue equipment, so that the system constructed accommodates the load and reduces the force required to lift the load, operational interference is factored and minimized, the system is efficient, a system safety check is completed, and the system is connected to an anchor system and the load.</p>						
<p>29. Direct the operation of a compound rope mechanical advantage system in a high-angle environment, given a rope rescue system incorporating a compound rope mechanical advantage system and a load to be moved, and a specified minimum travel distance for the load, so that a system safety check is performed; a reset is accomplished and the movement is controlled; the load can be held in place when needed; operating methods do not stress the system to the point of failure; operational commands are clearly communicated; and potential problems are identified, communicated, and managed.</p>						

<p>30. Direct the operation of a complex rope mechanical advantage system in a high-angle environment, given a rope rescue system incorporating a complex rope mechanical advantage system and a load to be moved, and a specified minimum travel distance for the load, so that a system safety check is performed; a reset is accomplished and the movement is controlled; the load can be held in place when needed; operating methods do not stress the system to the point of failure; operational commands are clearly communicated; and potential problems are identified, communicated, and managed.</p>						
<p>31. Negotiate an edge while attached to a rope rescue system during a low-angle and a high-angle lowering and raising operation, given a rope rescue system, a specified minimum travel distance for the rescuer, life safety harnesses, an edge to negotiate during the lower and raise, and specialized equipment necessary for the environment, so that risk to the rescuer is minimized, the means of attachment to the rope rescue system is secure, and all projections and edges are negotiated while minimizing risks to the rescuer or equipment.</p>						
<p>32. Access, assess, stabilize, package, and transfer victims, given diagnostic and packaging equipment and an actual or simulated EMS agency, so that rescuers and victim are protected from hazards, the victim's injuries or illnesses are managed, and the victim is delivered to the appropriate EMS provider with information regarding the history of the rescue activity and victim's condition.</p>						

<p>33. Operate and direct a litter-lowering and litter-raising system in a low-angle environment, given rescue personnel, (a) litter tender(s), an established lowering/mechanical advantage system, a specified minimum travel distance for the load, and a victim packaged in a litter to be moved, so that the litter is attached to the lowering/raising and belay systems; movement is controlled; litter tender(s) are used to manage the litter during the lower and raise; the litter can be held in place when needed; operating methods do not stress the system to the point of failure; rope commands are used to direct the operation; and potential problems are identified, communicated, and managed.</p>						
<p>34. Operate as a litter tender in a low-angle lowering or raising operation, given a rope rescue system, a specified minimum travel distance for the litter tender, life safety harnesses, litters, bridles, and specialized equipment necessary for the environment, so that risks to victims and rescuers are minimized, the means of attachment to the rope rescue system is secure, and the terrain is negotiated while minimizing risks to equipment or persons.</p>						

<p>35. Direct a litter-lowering or litter-raising operation in a high-angle environment, given rescue personnel, an established lowering/mechanical advantage system, a specified minimum travel distance for the load, a victim packaged in a litter to be moved, and a means for negotiating edges and projections along the travel path, so that the litter is attached to the lowering/raising and belay systems, an edge is negotiated during a lower and a raise; tag lines are used to manage the litter during the lower and raise; the litter can be held in place when needed; operating methods do not stress the system to the point of failure; rope commands are used to direct the operation; and potential problems are identified, communicated, and managed.</p>						
<p>36. Terminate a technical rescue operation, given an incident scenario, assigned resources, and site safety data, so that rescuer risk and site safety are managed, scene security is maintained and custody transferred to a responsible party, personnel and resources are returned to a state of readiness, recordkeeping and documentation occur, and postevent analysis is conducted.</p>						

Completion Requirements

The following requirements must be completed prior to submitting this task book.

Experience

State Fire Training confirms that all experience requirements were required for task book initiation.

Position

State Fire Training confirms that there are no position requirements to teach this course.

Updates

The candidate has completed and enclosed all updates to this instructor task book released by State Fire Training since its initial publication.

Number of enclosed updates: _____

Completion Timeframe

The candidate has completed all requirements documented in this task book within three years of its initiation date.

Initiation Date (see Registered Instructor signature under **Initiation Requirements**): _____

Review and Approval

Candidate

Candidate (please print): _____

I, the undersigned, am the person applying for instructor registration. I hereby certify under penalty of perjury under the laws of the State of California, that the completion of all requirements documented herein is true in every respect. I understand that misstatements, omissions of material facts, or falsification of information or documentation may be cause for rejection or revocation.

Signature and Date: _____

Fire Chief (or Fire Technology Director)

Candidate's Fire Chief (please print): _____

I, the undersigned, am the person authorized to verify the candidate's qualifications for instructor registration. I hereby certify under penalty of perjury under the laws of the State of California, that the completion of all requirements documented herein are true in every respect. I understand that misstatements, omissions of material facts, or falsification of information or documentation may be cause for rejection.

Signature and Date: _____