Pumping Apparatus Driver/Operator

(NFPA Fire Apparatus Driver/Operator)

Certification Task Book (2017)





California Department of Forestry and Fire Protection Office of the State Fire Marshal State Fire Training

Overview

Authority

This certification task book includes the certification training standards set forth in the Fire Apparatus Driver/Operator Certification Training Standards Guide (2017) which is based on NFPA 1002: Standard for Fire Apparatus Driver/Operator Professional Qualifications (2017).

Published: August 2021

Published by: State Fire Training, PO Box 944246, Sacramento, CA 94244-2460

Cover photo courtesy of Alameda County Fire Department.

Purpose

The State Fire Training certification task book is a performance-based document that identifies the minimum requirements necessary to perform the duties of that certification. Completion of a certification task book verifies that the candidate has the required experience, holds the required position, and has demonstrated the job performance requirements to obtain that certification.

Assumptions

With the exception of the Fire Fighter and Emergency Vehicle Technician (EVT) certifications, a candidate may begin the task book initiation process upon completion of all required education components (courses).

Each job performance requirement (JPR) shall be evaluated after the candidate's fire chief initiates the task book.

An evaluator may verify satisfactory execution of a job performance requirement (JPR) through the following methods:

- First-hand observation
- Review of documentation that verifies prior satisfactory execution

State Fire Training task books do not count towards the NWCG task book limit. There is no limit to the number of State Fire Training task books a candidate may pursue at one time as long as the candidate meets the initiation requirements of each.

It is the candidate's responsibility to routinely check the State Fire Training website for updates to an initiated task book. All State Fire Training issued updates to an initiated task book are required for task book completion.

A candidate must complete a task book within five years its initiation date. Otherwise, a candidate must initiate a new task books using the certification's current published version.

Roles and Responsibilities

Candidate

The candidate is the individual pursuing certification.

Initiation

The candidate shall:

- 1. Complete all Initiation Requirements.
 - Please print or type.
- 2. Obtain their fire chief's signature as approval to open the task book.
 - A candidate may not obtain evaluation signatures prior to the fire chief's initiation approval date.

Completion

The candidate shall:

- 1. Complete all Job Performance Requirements.
 - Ensure that an evaluator initials, signs, and dates each task to verify completion.
- 2. Complete all Completion Requirements.
- 3. Sign and date the candidate verification statement under **Review and Approval** with a handwritten signature.
- 4. Obtain their fire chief's handwritten (not stamped) signature on the fire chief verification section.
- 5. Create and retain a physical or high-resolution digital copy of the completed task book

Submission

The candidate shall:

- 1. Submit a copy (physical or digital) of the completed task book and any supporting documentation to State Fire Training.
 - See Submission and Review below.

A candidate should not submit a task book until they have completed all requirements and obtained all signatures. State Fire Training will reject and return an incomplete task book.

Evaluator

An evaluator is any individual who verifies that the candidate can satisfactorily execute a job performance requirement (JPR).

An evaluator may verify satisfactory execution through the following methods:

- First-hand observation
- Review of documentation that verifies prior satisfactory execution

A qualified evaluator is designated by the candidate's fire chief* and holds an equivalent or higher-level certification. If no such evaluator is present, the fire chief shall designate an individual with more experience than the candidate and a demonstrated ability to execute the job performance requirements.

A task book evaluator may be, but is not required to be, a registered skills evaluator who oversees a State Fire Training certification exam.

A certification task book may have more than one evaluator.

All evaluators shall:

- 1. Complete a block on the **Signature Verification** page with a handwritten signature.
- 2. Review and understand the candidate's certification task book requirements and responsibilities.
- 3. Verify the candidate's successful completion of one or more job performance requirements through observation or review.
 - Do not evaluate any job performance requirement (JPR) until after the candidate's fire chief initiates the task book.
 - Sign all appropriate lines in the certification task book with a handwritten signature or approved digital signature (e.g. Docusign or Adobe Sign) to record demonstrated performance of tasks.

Fire Chief

The fire chief is the individual who initiates (when applicable) and then reviews and confirms the completion of a candidate's certification task book.

A fire chief may identify an authorized designee already on file with State Fire Training to fulfill any task book responsibilities assigned to the fire chief. (See *State Fire Training Procedures Manual*, 4.2.2: Authorized Signatories.)

Initiation

The fire chief shall:

1. Review and understand the candidate's certification task book requirements and responsibilities.

^{*} For certification task books that do not require fire chief initiation, academy instructors serve as or designate evaluators.

- 2. Verify that the candidate has met all **Initiation Requirements** prior to initiating the candidate's task book.
- 3. Open the candidate's task book by signing the **Fire Chief Approval** verification statement with a handwritten (not stamped) signature.
- 4. Designate qualified evaluators.

Completion

The fire chief shall:

- 1. Confirm that the candidate has obtained the appropriate signatures to verify successful completion of each job performance requirement.
 - Ensure that all Job Performance Requirements were evaluated after the initiation date.
- 2. Confirm that the candidate meets the **Completion Requirements**.
- 3. Sign and date the Fire Chief verification statement under **Review and Approval** with a handwritten signature.
 - If signing as an authorized designee, verify that your signature is on file with State Fire Training.

Submission and Review

A candidate should not submit a task book until they have completed all requirements and obtained all signatures. State Fire Training will reject and return an incomplete task book.

To submit a completed task book, please send the following items to the address below:

- A copy of the completed task book (candidate may retain the original)
- All supporting documentation
- Payment

State Fire Training
Attn: Certification
PO Box 944246
Sacramento, CA 94244-2460

State Fire Training reviews all submitted task books.

- If the task book is complete, State Fire Training will authorize the task book and retain a digital copy of the authorized task book in the candidate's State Fire Training file.
- If the task book is incomplete, State Fire Training will return the task book with a notification indicating what needs to be completed prior to resubmission.

Completion of this certification task book is one step in the certification process. Please refer to the *State Fire Training Procedures Manual* for the complete list of qualifications required for certification.

Initiation Requirements

The following requirements must be completed prior to initiating this task book.

Candidate Inf	Candidate Information		
Name:			
SFT ID Number:			
Fire Agency:			

Prerequisites

The candidate meets the following prerequisites.

• OSFM Fire Fighter 1 certification

or

 Appointment to the rank of Officer (Lieutenant or higher) or CAL FIRE rank of Fire Apparatus Engineer waives this certification prerequisite. Performing in an "acting" capacity does not fulfill this requirement.

Rank	Appointment Date	

• Valid Class C Firefighter Endorsed **or** Commercial A **or** Commercial B driver's license (per California Vehicle Code, Section 12804.11)

License or Permit	Granting Agency/Institution	License/Permit #	Expiration Date

Include documentation to verify prerequisite requirements when you submit your task book unless verification is already documented in your SFT User Portal.

Education

The candidate has completed the following course(s).

- 1A: Fire Apparatus Driver/Operator (2008 or newer)
- 1B: Pumping Apparatus Operations (2008 or newer)

Fire Chief Approval	
Candidate's Fire Chief (please print):	
I, the undersigned, am the person authorized to requirements and to initiate State Fire Training perjury under the laws of the State of California open the task book documented herein are trumisstatements, omissions of material facts, or may be cause for rejection.	task books. I hereby certify under penalty of ia, that the completion of all requirements to ue in every respect. I understand that
Signature:	Date:

Signature Verification

The following individuals have the authority to verify portions of this certification task book using the signature recorded below.

Please print except for the Signature line where a handwritten signature is required. Add additional signature pages as needed.

Name:	 Name:
Job Title:	Job Title:
Organization:	 Organization:
Signature:	Signature:
Name:	Name:
Job Title:	 Job Title:
Organization:	 organization:
Signature:	Signature:
Name:	Name:
Job Title:	Job Title:
Organization:	 organization:
Signature:	Signature:
Name:	Name:
Job Title:	 Job Title:
Organization:	 organization:
Signature:	Signature:
Name:	Name:
Job Title:	Job Title:
Organization:	 organization:
Signature:	Signature:

Job Performance Requirements

The candidate must complete each job performance requirement (JPR) in accordance with the standards of the authority having jurisdiction (AHJ) or the National Fire Protection Association (NFPA), whichever is more restrictive.

When California requirements exceed or require revision to the NFPA standard, the corresponding Office of the State Fire Marshal-approved (OSFM) additions or revisions appear in *italics*.

All JPRs must be completed within a California fire agency or State Fire Training Accredited Regional Training Program (ARTP).

For JPRs that are not part of a candidate's regular work assignment or are a rare event, the evaluator may develop a scenario or interview that supports the required task and evaluate the candidate to the stated standard.

Each JPR shall be evaluated after the candidate's fire chief initiates the task book.

Fire Apparatus

Preventative Maintenance

1.	Perform visual and operational checks on the systems and following list (battery(ies), braking system, coolant system hydraulic fluids, oil, tires, steering system, belts, tools, apparently features), given a fire <i>apparatus</i> , its manufacturer's equipment, and policies and procedures of the jurisdiction status of the vehicle is verified. (NFPA 4.2.1) (CTS 1-1)	n, electrical system, fuel, pliances, equipment, built-in specifications, tools and
	Evaluator Signature:	Date Verified:
2.	Document visual and operational checks, given maintena that all items are checked for operation and deficiencies a 1-2)	•
	Evaluator Signature:	_ Date Verified:

Operations

3.	defensive driving techniques, giver on a public way that incorporates to expected to encounter during norm that control of the apparatus is ma	nergency and non-emergency responses using an apparatus, an assignment, a predetermined route the maneuvers and features that the driver/operator is mal operations, and AHJ policies and procedures, so intained and the apparatus is operated in compliance aws and AHJ rules and regulations. (NFPA 4.3.1 &
	Evaluator Signature:	Date Verified:
4.	sides of the <i>apparatus</i> , given a fire driver in performing the maneuver 90-degree right-hand and left-hand	vay into restricted spaces on both the right and left apparatus, a spotter where the spotter assists the r, and restricted spaces 12 ft (3.7 m) in width, requiring turns from the roadway, so that the vehicle is parked thave to stop and pull forward and without striking the stri
	Evaluator Signature:	Date Verified:
5.	in reverse, given a fire apparatus, a performing the maneuver, and a re	obstructions on a roadway while moving forward and a spotter where the spotter assists the driver in badway with obstructions, so that the vehicle is ons without stopping to change the direction of travelons. (NFPA 4.3.3) (CTS 2-3)
	Evaluator Signature:	Date Verified:
6.	spotter for backing up, and an area	within a confined space, given a fire apparatus, a in which the <i>apparatus</i> cannot perform a U-turn so that the <i>apparatus</i> is turned 180 degrees without ten space. (NFPA 4.3.4) (CTS 2-4)
	Evaluator Signature:	Date Verified:
7.	given a fire apparatus and a course restricted horizontal and vertical cl	s with restricted horizontal and vertical clearances, e that requires the operator to move through areas of earances, so that the operator judges the ability of openings, using continual motion, and so that no 5) (CTS 2-5)
	Evaluator Signature:	Date Verified:

8.	this standard, given fixed syste requirements, and AHJ policies	equipment on a <i>fire apparatus</i> not addressed elsewhere in ems and equipment, manufacturer's specifications <i>and</i> is and procedures for the systems and equipment, so that ment is operated in accordance with the applicable A 4.3.7) (CTS 2-6)
	Evaluator Signature:	Date Verified:
Dun	oning Annaratus	
Pull	nping Apparatus	
Prev	entative Maintenance	
9.	specified in the following list (value applicable), pumping systems, given a pumping apparatus, its	and operational checks on the systems and components water tank and other extinguishing agent levels (if foam systems) in addition to those in <i>NFPA 1002</i> 4.2.1, is manufacturer's specifications, and <i>AHJ</i> policies and cional status of the <i>pumping apparatus</i> is verified. (NFPA
	Evaluator Signature:	Date Verified:
Ope	rations	
10.	pressure control and apparatu	r, given an internal tank, so that the pump is engaged, all is safety devices are set, the rated flow of the nozzle is the apparatus is monitored for potential problems. (NFPA
	Evaluator Signature:	Date Verified:
11.	all pressure control and appare	ream, given an internal tank, so that the pump is engaged, atus safety devices are set, the rated flow of the nozzle is the apparatus is monitored for potential problems. (NFPA
	Evaluator Signature:	Date Verified:
12.	pressure control and apparatu	ven a pressurized source, so that the pump is engaged, all is safety devices are set, the rated flow of the nozzle is the apparatus is monitored for potential problems. (NFPA
	Evaluator Signature:	Date Verified:

13.	Produce effective master stream, given a pressurized source, so that the pump is engaged, all pressure control and <i>apparatus</i> safety devices are set, the rated flow of the nozzle is achieved and maintained, and the apparatus is monitored for potential problems. (NFPA 5.2.4) (CTS 5-4)	
	Evaluator Signature:	Date Verified:
14.	Produce effective hand <i>line</i> , given a static source, so that to pressure control and <i>apparatus</i> safety devices are set, the achieved and maintained, and the apparatus is monitored 5.2.4) (CTS 5-4)	rated flow of the nozzle is
	Evaluator Signature:	Date Verified:
15.	Produce effective master stream, given a static source, so pressure control and <i>apparatus</i> safety devices are set, the achieved and maintained, and the apparatus is monitored 5.2.4) (CTS 5-4)	rated flow of the nozzle is
	Evaluator Signature:	Date Verified:
16.	Produce effective hand <i>line</i> , given a transfer from internal that the pump is engaged, all pressure control and <i>appara</i> rated flow of the nozzle is achieved and maintained, and t potential problems. (NFPA 5.2.4) (CTS 5-4)	tus safety devices are set, the
	Evaluator Signature:	Date Verified:
17.	Produce effective master stream, given a transfer from int so that the pump is engaged, all pressure control and <i>appeter</i> the rated flow of the nozzle is achieved and maintained, a for potential problems. (NFPA 5.2.4) (CTS 5-4)	aratus safety devices are set,
	Evaluator Signature:	Date Verified:
18.	Pump a supply line of 2½ in. (65 mm) or larger, given a relational length and size of the line and the desired flow and intake pressure and flow are provided to the next <i>pumping appa</i> (CTS 5-5)	pressure, so that the correct
	Evaluator Signature:	Date Verified:

19.	, 3	nm-producing equipment <i>and manufacturer's</i> nat proportioned foam is provided. (NFPA 5.2.6)
	Evaluator Signature:	Date Verified:
20. Supply water to fire sprinkler and standpipe systems, given specific syste a pumping apparatus, and sprinkler and standpipe systems, so that the vat the correct volume and pressure. (NFPA 5.2.7) (CTS 5-7)		and standpipe systems, so that the water is supplied
	Evaluator Signature:	Date Verified:

Completion Requirements

The following requirements must be completed prior to submitting this task book.

_		•		
⊢ VI	na	rıΔ	nc	Δ
Ex	שע	םו ו	116	C

The candidate meets the following experience requirements.

 Have a minimum of one year full-time or two years' volunteer or part-time paid experience in a recognized fire agency in California with the primary responsibility as a Pumping Apparatus Driver/Operator

Agency	Experience	Start Date	End Date

Position

The candidate meets the position qualifications for this level of certification. The position requirement is met when the applicant fulfills the role of the specific duties as defined by the fire chief.

Updates

The candidate has completed and enclosed all updates to this certification task book released by State Fire Training since its initial publication.

Number of enclosed	updates:	
--------------------	----------	--

Completion Timeframe

The candidate has completed all requirements documented in this certification task book within five years of its initiation date.

Initiation Date (see Fire Chief signature under Initiation Requirements):	
---	--

Review and Approval

Candidate	
Candidate (please print):	
perjury under the laws of the State of C documented herein is true in every res	ying for certification. I hereby certify under penalty of California, that the completion of all requirements pect. I understand that misstatements, omissions of ation or documentation may be cause for rejection or
Signature:	Date:
Fire Chief	
Candidate's Fire Chief (please print):	
certification. I hereby certify under penthat the completion of all requirements	norized to verify the candidate's qualifications for malty of perjury under the laws of the State of California, is documented herein are true in every respect. It is ons of material facts, or falsification of information or tion.
Signature:	Date: